



JOBSITE

2018 JOBSITE EQUIPMENT RENTAL RATES

Effective June 01, 2018

HOISTING & RIGGING		WEEKLY	4 WEEKS
Chainfall (CERTIFIED)		Rates listed are based on 20' lift	
* Lifts available up to 100 ft.			
1/2 ton		35	70
1 Ton		46	85
1-1/2 Ton		49	98
2 Ton		53	130
3 Ton		71	172
5 Ton		98	271
6 Ton		152	390
7-1/2 Ton		173	520
10 Ton		254	617
15 Ton		520	1,549
Puller (CERTIFIED)		Rates listed are based on 5' chain	
* Length available up to 20 ft.			
3/4 Ton		40	92
1-1/2 Ton		48	98
3 Ton		50	124
6 Ton		79	214
Air Hoist (CERTIFIED)		Lifts available up to 150 ft.	
1/2 Ton	50 ft.	239	663
1 Ton	40 ft.	251	696
1 Ton	60 ft.	307	836
2 Ton	40 ft.	304	798
2 Ton	60 ft.	424	1,167
3 Ton	40 ft.	451	1,273
3 Ton	100 ft.	505	1,512
6 Ton	40 ft.	637	1,910
6 Ton	80 ft.	1,442	3,605
Electric Hoist (CERTIFIED)		Lifts available up to 150 ft.	
1/2 Ton, 110 V	50 ft.	202	525
1 Ton, 110 V	40 ft.	202	536
2 Ton, 110V	40 ft.	244	631
2 Ton, 110/220 V	60 ft.	250	737
3 Ton, 575 V 3PH	60 ft.	407	1,056
5 Ton, 575 V 3PH	50 ft.	464	1,391
Trolley & Beam Clamp (CERTIFIED)			
1/2 Ton		30	66
1 Ton		30	66
2 Ton		30	74
3 Ton		43	110
5 Ton		65	165
10 Ton		88	221
Tugger / Winch (CERTIFIED)		Cable sold separately	
Tugger, Air	1,100 lb.	212	631
	4,000 lb.	450	1,275
Winch, Electric 110 V	3,000 lb.	347	724
Snatch Block	Up to 15 Ton	VARIES TO SIZE	

Yarding Block	Up to 4 Ton	VARIES TO SIZE	
Lifting Magnet	4400 lb.	300	900
Plate Clamp	Up to 3 Ton	VARIES TO SIZE	
Tirfor (CERTIFIED)		Cable sold seperately	
1650 lb. Capacity		82	208
3300 lb. Capacity		82	208
6600 lb. Capacity		121	317
Spreader Beam			
1 Ton	3 ft. - 6 ft.	195	425
2 Ton	4 ft. - 8 ft.	195	425
5,000 lb.	3 ft. - 5 ft.	225	475

MATERIAL HANDLING / MACHINERY MOVING		WEEKLY	4 WEEKS
EME Aluminum Gantry Cranes (CERTIFIED)		Beam Lengths available up to 30 ft.	
* All cranes c/w trolley & beam up to 15 ft.			
2200LW	2,200 lb cap, 90-122" lift range	467	1,246
4400M	4,400 lb cap, 66-90" lift range	467	1,246
4400R/T	4,400 lb cap, 90-138" lift range	467	1,246
6600R	6,600 lb cap, 106-154" lift range	584	1,565
11000R	11,000 lb cap, 106-154" lift range	849	2,334
22000R	16,500 lb cap, 106-154" lift range	1,957	5,145
Cantilever	Weights and Beam (600lb. @ 5 ft.)	206	412
Extra Beam Trolley		79	160
Material Lifts (CERTIFIED)			
	4.5 ft. 400 lb. with tray	138	335
	7.5 ft. 1,000 lb with tray	185	495
	10 ft. 1,000 lb.	187	492
	12 ft. 400 lb.	145	352
	12 ft. 350 lb. Counterweight	145	352
	15 ft. 800 lb.	187	492
	15 ft. 1,100 lb.	199	510
	18 ft. 650 lb.	171	446
	20 ft. 800 lb.	199	510
	20 ft. 800 lb. Counterweight	400	725
	24 ft. 650 lb.	171	446
Fork Extensions		31	93
Pipe Cradle		23	44
Boom Attachment		82	137
Tray Attachment		44	88
Roust-A-Bouts (CERTIFIED)			
	15 ft. 1,500 lbs.	290	711
	25 ft. 1,500 lbs.	304	759
Extension Tee		36	77
Pallet Trucks			
	5,500 lb. Standard	64	192
	8,000 lb. Standard	82	246
	5,500 lb. Narrow Aisle (21")	90	225
	5,500 lb. 5 ft / 6 ft Forks	82	246
	4,000 lb. 8 ft Forks	198	541
Machinery Moving			
Stair Climber	1,500 lb.	567	1,236
Push Cart	2 Wheel, Pneumatic Tire	28	44
	4 Wheel, 30" x 60", 2,000 lb. cap, (Flat Free)	49	132
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"	124	371
Engine Hoist	2 Ton	128	350
Appliance Cart	1,200 lb.	79	208

Wagon Yard Cart	24" x 48" 800 lb.	49	132
Drum Cart	1,000 lb.	98	155
Forklift Boom Extension	5 Ton	212	497
Forklift Dumper Box	1 Cu.Yd	134	279
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"	140	419
Davit Crane Portable	2,000 lb. cap.	450	900
3 Wheel Dolly	1,800 lb.	28	72
Corner Dolly	2,400 lb.	50	106
Furniture Dolly	800 lb.	28	72
Rol-A-Lift Jack	2,000 lb. cap. (pair) c/w Straps	126	210
	6,000 lb. cap. (pair) c/w Straps	189	252
	10,000 lb. cap. (pair) c/w Straps	252	399
Roller Conveyor	10 ft. section c/w Legs	34	96
Swivel / Straight Skate	10/15 Ton cap.	57	140
	10 Ton SLP Nylon Rollers	84	251
Steerable Poly Skates	48 Ton cap. (Set)	168	502
Swivel / Straight Skate	30 Ton	72	217
Straight Skate	40 Ton	96	268
Straight Skate	100 Ton	156	391
Pry Dolly	4,200 lb. cap.	50	84
Micrometer	Outside 0" - 6"	28	84
	Outside 6" - 18"	57	168
	Outside 18" - 30"	79	223
	Inside 2" - 32"	34	101
Dial Indicator		17	50
Magnetic Base for Dial Indicator		17	50
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle	250	500
	Digital, 50,000lb w/Shackle	350	850
	Digital, 100,000lb w/Shackle	399	1,194

JACKS		WEEKLY	4 WEEKS
Mechanical			
Ratchet Toe	5 Ton	49	147
	10 Ton	65	195
	15 Ton	77	228
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.	40	70
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.	57	123
	5 Ton, 20" - 60" Reel Dia.	49	123
	10 Ton, 20" - 96" Reel Dia.	56	151
	10 Ton T Base, 36" - 84" Reel Dia.	56	151
Hydraulic			
Toe	5 Ton 1" min / 8" stroke	47	140
	10 Ton 1-1/8" min / 9" stroke	62	186
	20 Ton 1" min / 6-5/16" stroke	350	876
* Single Acting	Closed Height / Stroke		
5 Ton	1-5/16" / 1/4" (pancake)	48	144
10 Ton	1-5/8" / 7/16" (pancake)	48	144
	3-1/2" / 1"	48	144
	3-1/2" / 1-1/2"	48	144
	4-3/4" / 2-1/8"	48	144
	6-3/4" / 4-1/8"	48	144
	9-3/4" / 6-1/8"	48	144
	13-3/4" / 10-1/8"	48	144
20 Ton	2" / 7/16" (pancake)	66	192
	3-7/8" / 1-3/4"	66	192
25 Ton	6-1/2" / 2"	66	198

	7-7/8" / 4"	66	198
	10-3/4" / 6-1/4"	66	192
	18-5/8" / 14"	94	279
30 Ton	2-5/16" / 1/2" (pancake)	66	192
	4-5/8" / 2-7/16"	66	192
	7" / 2-1/2" (hollow)	94	279
	15-1/4" / 8-1/4"	94	279
35 Ton (bottle)	11" / 6-1/4"	129	201
50 Ton	2-5/8" / 5/8" (pancake)	94	213
	4-13/16" / 2-3/8"	94	213
	11-1/8" / 6-1/4"	104	263
60 Ton	9-11/16" / 3" (hollow)	160	465
	12-3/4" / 6" (hollow)	160	465
75 Ton	3-1/8" / 5/8" (pancake)	109	274
100 Ton	3-3/8" / 5/8" (pancake)	137	298
	5-9/16" / 2-1/4"	137	298
	14-1/16" / 6-5/8"	177	534
150 Ton	8-1/8" / 2" (locknut)	177	534
150 Ton	16-3/8" - 10" (aluminum locknut)	695	1,950
200 Ton	13-1/2" / 5-7/8" (locknut)	500	1,494
300 Ton	15-1/2" / 5-7/8" (locknut)	742	2,225
Pumps c/w 6' Hose			
Hydraulic Hand	45 - 250 cu.in	10	20
	250 - 460 cu.in	15	30
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.	109	322
	110V 1-1/2 HP 1.5 Gal. High Speed	165	345
	110V 1-1/2 HP 5 Gal.	218	612
	110V 1-1/2 HP 10 Gal.	328	819
Manifold System		ASSEMBLED TO SUIT	
Hydraulic Hose	20 Ft. 10,000 PSI	23	49
	50 Ft. 10,000 PSI	41	88

WELDING / POWER DISTRIBUTION		WEEKLY	4 WEEKS
Fume Extraction			
* All Smoke/Fume Extractors c/w Washable Filters (Hepa Filters Available)			
Smoke Eater	Suitcase, 160 CFM	120	298
Precipitator	Swing Arm, 1,400 CFM	233	541
Engine Driven			
Gasoline	185-200 Amp Portable	225	569
Propane	305 Amp w/ Cart	225	569
Diesel	300 Amp w/ towable trailer	271	796
	400 Amp Dual Operator w/ towable trailer	415	1,200
	500 Amp w/ towable trailer	318	934
Exhaust Scrubber	Diesel / LPG	165	328
Electric			
MIG Welding	110V	99	218
	LN25 Wire Feeder c/w Flowmeter, Hose	109	322
	Power Mig 210MP 110-220 / 1	124	335
	Power Mig 250 amp 230-575 / 1	155	402
	Powerwave S350 208-575 / 1-3	425	895
	Powerwave STT Module 40V DC	195	595
	84 Dual Wire Feed	525	1,250
Stick Welding	Amp / Voltage / Phase		
	150 amp, 110-220 / 1, Maxstar	150	325
	250 amp, 230-575 / 1	61	148
	275 amp, 208-575 / 1-3, Inverter	101	274

	350 amp, Multi-Weld	142	322
	Distribution Box, Multi-Weld	26	52
	350 amp, 208-575 / 1-3, Inverter	137	373
	450 amp, 380-575 / 3, Inverter	118	328
	500 amp, 230-575 / 3	118	328
	600 amp, 230-575 / 3	153	437
	650 amp, 380-575 / 3, Inverter	144	417
	1000 amp, 575 / 3	495	995
	4-6 Pack Frame w/ distribution panel	121	121
Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH	150	325
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol	40	75
	200 amp c/w Flowmeter, Hose, Gas Valve	77	165
Cordless			
Stick Welding	140 amp, 52V Fronius	225	475
Accessories			
Welding Cable 1/O	50 ft.	28	49
	100 ft.	46	88
	Ground Clamp w/ Whip	10	21
	Stinger w/ Whip	10	21
Remote Control	100 ft.	46	93
	100 ft. extension cable	46	93
30/60 Amp Plug		33	61
60 amp extension cable	6/4, 50 ft c/w welding plugs	129	158
Rod Oven	10 lb.	33	66
	125 lb.	49	137
	350 lb.	66	165
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal	212	478
	110V, 3000 lb.	2,500	4,900
	600V, 6000 lb.	4,000	7,500
Power Distribution			
Splitter Panel 600V	60 amp	82	218
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH	274	820
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar	592	1,391
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI	103	206
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock	77	129
Cable Mat	5 Channel 30T Cap. 3ft	21	41
Cutting			
Plasma Cutter	110 - 220 / 1 3/8" Cap.	155	335
Plasma Cutter	208 - 575 / 1-3 1" Cap.	304	613
Arc Air Gouger	c/w Welding Whip, Air Whip	44	99
Oxy/Acet. Cutting Outfit	c/w torch, 50' hose, regulators	104	186
Bottle Cart	Single / Double	23	39
	2 Bottle Lift/Fire Rated	85	245
LPG Tiger Torch	c/w Regulator, 25 ft. hose, 250 KBTU	28	66
Radiograph Cutter	c/w Torch, 6 ft.Track	109	302
Track for Radiograph	6 ft.	26	52
PIPE BENDING			
Mechanical		WEEKLY	4 WEEKS
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT		VARIABLES TO SIZE
Hand Tube Bender	3/8" - 3/4" O.D. Tubing		VARIABLES TO SIZE
1800	1/2" - 1" Rigid	49	148
1801	1-1/4" - 1-1/2" Rigid	61	153
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT	175	525
Electric			
Tubing Bender	1/2" - 1-1/8" O.D. Tubing	153	456

555	1/2" - 2" Machine only, 110V	142	421
	1/2" - 2" Rigid Shoe Group	56	170
	1/2" - 2" EMT Shoe Group	104	218
	1/2" - 2" PVC / Rob Roy Shoe Group	104	218
PVC Heater / Bender	1/2" - 2", 110V	44	121
	1/2" - 4", 110V	82	203
	1/2" - 6", 230V	100	300
Hydraulic			
Bus Bar 4" Bender	3/4" x 4"	109	322
880	1/2" - 2" Rigid	109	322
882	1-1/4" - 2" EMT	137	322
881	2-1/2" - 4" Rigid / EMT One Shot	334	998
1813 / MBT	Bending Table for 881 - Pipe not included	163	329
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed	165	345

PIPE FABRICATION		WEEKLY	4 WEEKS
Pipe Bevelling			
Bevelling Bands	Up to 42"	VARIES TO SIZE	
Crawler	Manual, 9 ft. - 14' whip w/ Torch	109	328
	Motorized, 110V w/ Torch	258	464
George Fischer Machine	Cut & Bevel up to 4" (blade extra)	361	810
Ridgid B-500	Cold Bevel Pipe 4" and Larger	180	510
Manual Cutting			
2-A	1/2" - 2", 1 Wheel	23	34
42-A	3/4" - 2", 4 Wheel	25	45
4-S	2" - 4", 1 Wheel	29	82
44-S	2-1/2" - 4", 4 Wheel	34	100
6-S	4" - 6", 1 Wheel	40	111
466-S	4" - 6", 4 Wheel	42	121
468-S	6" - 8", 4 Wheel	47	134
472-S	8" - 12", 4 Wheel	79	189
246	Soil Pipe, 1-1/2" - 6"	43	110
RT3422	Hot Tap, 3/4" - 2" NPT	334	669
Hydraulic Cutting			
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers	175	399
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers	175	399
700	Power Drive for 258 / 258XL	85	195
3890	Soil Pipe, 2" - 12" w/ Ram, Pump	160	372
Electric Cutting			
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe	160	373
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp	121	345
Manual Flange Spreading			
ST-302	4"	23	64
ST-303	5"	30	86
ST-304	6-3/8"	39	98
Ratchet "Pop-It"	1/16" - 5-1/4"	124	361
	1/2" - 8-1/2"	361	670
Hydraulic Flange Spreading			
1/2 Ton Wedge	3/8" / 3-1/4"	55	135
1 Ton Wedge	3/8" / 3-11/16"	55	135
10 Ton Flange	2-3/4" - 8-1/2" Opening	239	424
Aligning			
461	Straight 1-1/2" - 8"	19	55
Ultra Clamp	2" - 6"	27	79
	5" - 12"	34	106
Tipton Line Up Clamp	Up to 36"	VARIES TO SIZE	

K.C. Ratchet Line Up Clamp	Up to 42"		VARIABLES TO SIZE
"C" Clamp	Up to 12"		VARIABLES TO SIZE
"L" Clamp (Bessey)	Up to 24"		VARIABLES TO SIZE
Grooving			
915	Manual, 2" - 12" Steel / 2" - 8" Copper	109	302
916	Power, 1-1/4" - 6" Steel	109	302
975	Manual / Power, 1-1/4" - 6" Steel	109	302
918	Power, 2" - 12" Steel	175	492
	2" - 6" Copper Roller Set for 918	62	124
920	2" - 24" Steel	398	1,056
725	Cut Groove Die Head for 1224, 2-1/2" - 4"	49	148
Manual Threading			
2-S	Spiral Reamer, 1/4" - 2"	14	28
12-R	Die Head 1/8" - 2" (each)	12	28
12-R	Ratchet	17	40
12-R	Set 1/2" - 2" c/w Ratchet	86	203
418	Oiler	21	37
Power Threading			
700	Power Drive	85	192
775	Support Arm	26	53
300	Power Drive	101	293
300	Threading Package c/w 1 die head	166	412
311	Carriage Assembly	21	37
811A	Die Head, 1/4" - 2"	23	45
141	Threader 2-1/2" - 4"	82	236
161	Threader 4" - 6"	132	322
840A	Universal Drive Shaft	23	39
460	Tristand, 1/4" - 6"	28	84
535	Threading Machine, 1/4" - 2"	192	478
1224	Threading Machine, 1/4" - 4"	303	887
714	Die head 2-1/2" - 4" for 1224 Machine	30	70
711	Die Head 1/4" - 2" for 1224 Machine	27	65
819	Nipple Chuck 1/2" - 2"	28	62
418	Oiler	21	37
Pipe Stands / Rollers			
V Top	2,000 lb. 1/8" - 24"	22	32
Steel Roller Top	2,000 lb. 1/8" - 24"	22	32
Pro Roll	2,000 lb. 1/2" - 36"	32	96
Big V	2,500 lb. 1/2" - 36"	32	54
Max-Jax	2,500 lb. 4" - 36"	80	160
Max-Jax 2	4,500 lb. 4" - 36"	80	160
Pipe Roller	Clamp on 4" - 20"	345	716
Roller Top HD	4,000 lb., 4" - 30"	50	120
Power Pipe Roller	1,500 lb. 2" - 16", 110V	106	318
Pipe / Conduit Carts			
Cricket	1,000 lb. 12" Cap.	49	148
Grasshopper	2,000 lb. 20" Cap.	71	213
Pipe Mac	2,000 lb. Cap.	49	132
Mac Rack	1,000 lb. Non-Lockable	71	137
Conduit Rack	3,000 lb. 10' / 12', Lockable	121	218
Farm Wagon	8 Ton Cap.	258	515
Testing			
1450 Manual	725 PSI	56	165
	1,000 PSI, Viton Gasket	56	165
Electric Hydrostatic	1,100 - 1,500 PSI, 110V	109	322
Pneumatic Hydrostatic	300 - 10,000 PSI	216	608

Test Plug			VARIABLES TO SIZE
Maintenance			
Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)	218	492
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU	283	670
Pipe Thawer	110V, 1/2" - 1-1/2"	129	258
Water Jetter	110V, 1-1/4" - 4"	567	1,700
Press Fit Tool	1/2" - 2" Copper & Stainless Steel	213	541
Hot Tap	3/4" - 2" NPT	334	669
Drain Snake	Manual, 3/4" - 1-1/2", 25 ft.	44	87
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.	106	266
Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",	328	765
Pipe Inspection Camera	200' - 3" - 10" w/ LCD screen & USB 512HZ	618	1,854
Pipe Locator	Sonde, 512HZ	160	478

GENERATORS & PUMPS		WEEKLY	4 WEEKS
Generators			
Gas	2,500 Watt	155	464
	5,500 Watt	225	569
Propane	9,000 Watt, Ranger 305	225	569
Pumps			
Transfer	3/4", 110V, Viton	109	328
	3/4", 110V, Viton, Explosion Proof	258	464
Barrel	Manual, 22oz / stroke	17	49
	Electric, 110V, 1HP, 32 GPM	136	372
Submersible	2", 110V, 65 GPM, Max 40' Head	82	246
Diaphragm	2" Pneumatic, 140 GPM, Nitrile	258	536
	2" x 50' Discharge Hose w/ Camlock	23	66
Pressure Washer	110V, 1,100 PSI	109	322
	Gas, 4,000 PSI	383	765

WIRE & CABLE HANDLING		WEEKLY	4 WEEKS
Bending			
Hydraulic	300 - 1,000 MCM	94	246
Cutting			
Manual	750 MCM CU / 1,000 MCM AL	21	63
Ratchet	750 MCM CU / 795 MCM AL	26	79
Hydraulic	1,000 MCM CU / AL	88	246
Cordless	1,590 MCM CU / AL	255	658
Cable Stripper	Use w/ 300 Power Drive	175	525
	110 v - 14 awg - 3"	175	525
Compression Tools			
Mechanical	MY29 #8AWG - 250 MCM CU	35	76
Hydraulic	Y39 750 MCM, 12 Ton	111	279
	Y46 1,000 MCM, 15 Ton	132	217
	Die Adapter Y46	23	66
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	155	397
Cordless	#8AWG - 750 MCM CU/AL	213	541
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	213	541
Dies	#8AWG - 750 MCM CU/AL	18	35
	1,000 MCM CU/AL	44	88
Knockout Sets			
Mechanical	7238 1/2" - 2" Ratchet	29	86
Hydraulic	7806 1/2" - 2" Straight	82	206
	7906 1/2" - 2" 90 Deg.	82	206
	7306 1/2" - 2" w/ Pump, Ram	82	206
	7310 1/2" - 4" w/ Pump, Ram	120	314

	7506 1/2" - 2" Stainless w/ Pump, Ram	120	314
	7308 2-1/2" - 4" Stainless	82	206
Cable Pulling			
	Two Way Radio	45	80
	Hand Held Speaker Mic	5	15
	Ultra Cable Feeder 6810 5 x 750 MCM cap.	478	982
	Cable Puller G3 2,000lb	171	397
	6001 Super Tugger 6,500 lb.	175	495
	6801 Super Tugger 8,000 lb.	222	594
	6901 Super Tugger 10,000 lb.	286	801
	Floor Mount Bracket	24	65
	Pipe Mount Bracket	75	135
	UT8 / 6805 Pulling Pkg. 8,000 lb.	519	1,066
	UT10 Pulling Pkg. 10,000 lb.	583	1,273
Reel Jack	2,500 lb. #683 22 - 54"	42	74
	10,000 lb. Ratchet 20.75 - 30.75"	49	123
	20,000 lb. Ratchet 34.5 - 48.5"	56	151
	20,000 lb. Ratchet T Base 31 - 42.75"	56	151
Reel Bar	2" solid steel x 7' long	24	53
Wire Rack	24 spools #12AWG	44	88
Fish / Vac System	690 w/ accessories	111	279
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit	158	315
	7/16" x 1200., 1" - 8" conduit	315	630
Force Gauge	Deluxe / Bluetooth	541	1,622
Pulling Rope			
Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye	67	129
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye	99	218
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye	149	407
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye	93	191
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye	137	355
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye	218	656
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye	137	355
	1" x 600 ft. DB Polyester / w/ Kevlar Eye	218	656
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye	469	1,025
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap	31	83
Rope Swivel c/w connector	7,000 lb.	79	131
	10,000 lb.	100	152
Kellems Grip	1/2" - 4"		VARIABLES TO SIZE
Sheaves			
Feeding	2" - 5"	22	60
Hook	650 - 6", 4,000 lb Cap.	23	55
	651 - 12", 4,000 lb Cap.	29	65
	652 - 18", 4,000 lb Cap.	36	79
	653 - 24", 4,000 lb Cap.	42	101
	639 - 24", Twin Yoke, 4,000 lb Cap.	50	126
	8012 - 12", 8,000 lb Cap.	45	101
	8018 - 18", 8,000 lb Cap.	50	118
	8024 - 24", 8,000 lb Cap.	57	140
	836 - 36", 8,000 lb. Cap.	250	495
	6036 - Triple 6,500 lb Cap.	67	134
	637 - 24" Radius, 4,000 lb Cap.	79	195
	638 - 36" Radius, 4,000 lb Cap.	84	202
Tray Rollers			
Sheave	658 12" Long	23	45
	658/659 Adjustable	23	45
Straight	12" - 24" Pilgrim	23	45

	18" - 36" Pilgrim	23	45
Right Angle	90 Deg. Pilgrim	23	45
	20369R 36" Radius	57	168
Testing			
Megohmmeter	500 / 1000 / 2500 / 1000V	295	595
ELECTRIC TOOLS		WEEKLY	4 WEEKS
Drills			
	1/2" Hammer	39	104
	1/2" Right Angle	44	127
	3/4" HD "T" Handle	88	218
	1" SDS Plus Rotary Hammer	46	127
	1-5/8" SDS Max Rotary Hammer	98	213
Diamond	Handheld, 1/2" - 4" Cap.	212	425
	Core Rig, 1/2" - 10" Cap	245	495
	Core Rig, 1/2" - 14" Cap.	293	584
	Sub Scanner Detection Tool, 12 Volt	50	125
	Core Bit, Up to 14"	VARIES TO SIZE	
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck	144	372
	Up to 1-3/8" Broach, Low Profile 6-11/16"	144	372
	Up to 2" Broach / 1/2" Chuck	181	404
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck	239	611
Drill Press	5/8" Chuck	77	216
	3/4" Chuck	104	310
Breaker	60 lb, 110 V	192	492
Extension Cord	12/3, 50 ft.	16	33
	12/3, 100 ft.	23	49
Fans			
	8" Ventilator, 800 CFM 110V w/ 25' Duct	66	137
	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	355	819
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	201	407
	18" Box, 5,000 CFM, 110V	160	324
	20" Barrel, 5,000 CFM, 110 V	69	175
	24" Pedestal, 5,000 CFM 110 V	44	121
	42", 14,000 CFM, 110 V	149	328
Duct	8" x 25 ft.	31	62
	16" x 25 ft.	41	82
	18" x 20 ft.	52	103
Lights			
Wobblelight	85 Watt Flourescent	44	104
	175 Watt Metal Halide	66	137
Cart	1,000 Watt Metal Halide	185	478
Trouble	50' Explosion Proof, 75 Watt	132	263
Grinders			
	5"	33	82
	5" with vac attach.	52	103
	7"	39	88
	Die 1/4" Collet	33	82
Saws			
	Jig	33	88
	14" Chop	44	104
	Portaband	56	155
	Reciprocating	33	99
	Fein Pipe/Hacksaw c/w Clamp	137	411
	7-1/4" Worm Drive Circular	46	121
	12" Electric Quick Cut	102	266

	Tile & Interlock, 3-3/4" x 24"	334	667
	Bandsaw Floor Model, 7" x 12"	111	334
	10" Table	109	328
	10" Mitre	102	266
Impact Wrenches			
	1/2", 265 ft. lbs	45	101
	3/4", 450 ft. lbs	57	134
	1", 740 ft. lbs	111	323
Miscellaneous			
Heat Gun	570 / 1,000 deg. F	25	56
Nibbler	16 GA.	44	132
Shear	18 GA.	56	132
Vacuum	Wet / Dry	77	208
	Hepa (Filters extra)	109	328
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V	127	355
	8" x 22" OD Max, 220V	196	541
Rebar Cutter	5/8" grade 60.	250	650
Iron Worker	50 Ton, 575V	495	995
	70 Ton, 575V	695	1,250
Cordless Tools			
12 Volt	Sub Scanner Detection Tool	52	129
18 Volt	1/2" Hammer Drill	56	165
	1/2" Right Angle Drill	49	99
	1/4" Hex Screwgun	39	104
	1/2" Dr. Impact	82	137
	4-1/2" Grinder	77	201
	6-1/2" Circular Saw	62	185
	Floodlight	77	155
28 Volt	Portaband Saw	98	247
36 Volt	1" SDS Plus Rotary Hammer	106	293
	Reciprocating Saw	106	293
AIR TOOLS			
Compressor	Portable, 7.3 CFM, 110V, 20 Gal.	132	361
	Diesel, 185 CFM	394	1,151
Hose	3/8" x 50 ft.	27	59
	3/4" x 50 ft.	27	59
	2" x 50 ft.	54	155
* Chicago, QC, Thor, Dixon, Boss air fittings all available			
Chipper	Pistol Grip .401 Shank	26	77
	15 lb.	44	132
	30 lb. Rivet Buster	93	264
Drill	Right Angle, 3/8" Chuck	26	77
	Pistol Grip, 1/2" Chuck	26	77
Die Grinder	Right Angle, 1/4" Collet	39	104
	Straight, 1/4" Collet	39	104
Grinder	7"	56	132
Impact Wrench,	1/2"	44	103
	3/4"	61	144
	1"	98	299
	1-1/2"	218	645
Ratchet	3/8"	16	33
	1/2"	16	33
Nibbler	14 GA.	26	77
Needle Scaler		44	132
Reciprocating Saw		103	206

Fein Pipe/Hacksaw		140	419
Manifold (certified)	15 Gal. 8 port	108	312
Venturi Air Horn	6" - 8"	44	99
Water Separator (In-Line)		165	274
Dryer w/ Precooler	250 CFM	437	874
Vacuum	55 Gal, 2" Hose, 68 CFM	191	478

CONFINED SPACE		WEEKLY	4 WEEKS
Tripod Retrieval System	50 ft.	284	850
	100 ft.	361	979
	Man Winch 65'	75	125
Retrieval System	50 ft. Davit Arm, Bolt Down Base w/ Winch	618	1,803
	50 ft. Davit Arm, Portable Base w/ Winch	773	2,101
	Barrel Mount Sleeve	258	556
	Vehicle Mount	150	395
Man Handler Winch	100 ft. with Davit	149	407
Self Retracting Life Line	8 ft. - 11 ft.	82	165
	20 ft.	99	192
	30 ft. - 40 ft.	109	218
	50 ft. - 60 ft.	132	274
	100 ft. 3 way	201	361
4 Gas Monitor	Single Gas Monitor	175	275
	Altair 4X (monitor only)	140	300
	Altair 4X c/w Bump Test Kit & Calibration Gas	212	478
	Altair 5X	400	800
	Calibration Station (Gasses extra)	266	530
2 Way Mobile Radio		45	80
Hand Held Speaker Mic		5	15
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct	66	137
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	201	407
	18" Box, 5,000 CFM, 110V	160	324
	20" Barrel, 5,000 CFM, 110 V	69	175
	24" Pedestal, 5,000 CFM 110 V	44	121
	42", 14,000 CFM, 110 V	149	328
Duct	8" x 25 ft.	31	62
	16" x 25 ft.	41	82
	18" x 20 ft.	52	103
Negative Air Machine	500 CFM, Filters and Ducting Extra	114	284
	1,850 CFM, Filters and Ducting Extra	266	478
Portable HEPA Room	29" x 55", up to 10'6"	515	1,030
	29" X 74", up to 10'6"	618	1,236

EXPLOSION PROOF / INTRINSICALLY SAFE		WEEKLY	4 WEEKS
2 Way Mobile Radio		60	119
Hand Held Speaker Mic		5	15
Fans	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	355	819
Pump	Diaphragm Air 2" w/ Ground	258	536
	Transfer, 110V, 1"	266	478
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct	355	819
Light	Trouble, 110V, 50 ft. cord	132	263
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM	191	478
Distribution Panel		VARIES TO SIZE	

SCAFFOLD & LADDERS		WEEKLY	4 WEEKS
Scaffold Galvanized			
Frame	5 ft. x 5 ft. Full	10	20

	5 ft. x 3 ft. Half High	10	20
	30" x 5 ft. Narrow	10	20
	30" x 3 ft. Half High Narrow	10	20
Brace		5	9
Safety Clip		2	2
Deck, Aluminum	7 ft. x 19"	13	28
Guard Rail		5	9
Guard Rail Post		5	9
Caster	8" Swivel Locking	9	15
Screwjack		9	20
Base Plate		5	9
Outrigger		10	20
Gooser Bar		10	20
Baker Scaffold	Full Section	54	102
Ladders H.D.			
Fibreglass Step			
	4 ft.	31	60
	6 ft.	31	60
	8 ft.	41	77
	10 ft.	52	93
	12 ft.	57	103
	14 ft.	64	115
Fibreglass Platform			
	4 ft.	46	82
	6 ft.	46	82
	8 ft.	62	93
	10 ft.	77	113
	12 ft.	93	144
Rolling Platform			
	12 ft.	99	274
Fibreglass Extension			
	20 ft.	69	156
	24 ft.	69	156
	32 ft.	81	171

STORAGE BOXES, CAGES & RACKS		WEEKLY	4 WEEKS
Job Box w/ Casters	Depth x Height x Length		
	2 ft. x 18" x 3 ft.	28	56
	2 ft. x 2 ft. x 4 ft.	33	71
	2 ft. x 2 ft. x 6 ft.	40	99
	JB150 Rolling Cabinet	54	133
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.	77	124
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Millwright	77	124
	Portable Field Office	82	246
Cage	Depth x Height x Width		
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters	137	302
	38" x 80" x 49" High Pressure Gas	61	121
	Propane 33 lb. 8 Bottle	52	103
	Propane 33 lb. 12 Bottle	61	121
	Lifting (Certified), 35" x 24" x 40"	137	411
Pipe Rack	5 ft. Conduit, Open	71	137
	10 ft. Conduit, Lockable	121	218
	12 ft. Copper, Lockable	121	218
Work Table	4 ft. x 4 ft.	56	88
	4 ft. x 8 ft.	66	109
Farm Wagon	8 Ton Cap.	258	515

Saw Horse H.D.	33	55
----------------	----	----

BOLTING AND FASTENING		WEEKLY	4 WEEKS
------------------------------	--	---------------	----------------

Pry Bar	Up To 60"		VARIABLES TO SIZE
Roof Deck Crimper	16 - 22 Gauge	266	451
Pipe Wrench	Steel / Aluminum Up To 48"		VARIABLES TO SIZE
Hammer Wrench	Up To 5"		VARIABLES TO SIZE
Hammer Wrench, Non Striki	Up to 2-1/2"		VARIABLES TO SIZE
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex	124	371
	25 Ton, 1-1/8" - 2-1/4" Hex	155	464
Punch Hydraulic	35 Ton 13/16" Dia. 1/2" Thick	165	492

Sockets			
----------------	--	--	--

Impact, 1/2" - 1-1/2" Dr.	Up to 5"		VARIABLES TO SIZE
Impact Set, 1/2" - 1" Dr.			VARIABLES TO SIZE
Chrome, 1/4" - 1" Dr.	Up To 3"		VARIABLES TO SIZE
Chrome Set, 1/4" - 1" Dr.			VARIABLES TO SIZE
Ratchet, Up to 1" Dr.			VARIABLES TO SIZE
Sledge Hammer	Up To 16 lb.		VARIABLES TO SIZE

Torque Wrenches			
------------------------	--	--	--

Calibration Service Provided In-House			
Manual	200 in./lb. 3/8" Drive	33	99
	100 ft./lb. 3/8" Drive	33	99
	250 ft./lb. 1/2" Drive	33	99
	600 ft./lb. 3/4" Drive	82	198
	700 ft./lb. 1" Drive	109	274
Torque Multiplier 4:1	1/2" In, 3/4" Out	82	213
	3/4" In, 1" Out	81	213
Hydraulic	1400 ft./lb. 3/4" Drive	743	1,910
	3200 ft./lb. 1" Drive	796	2,228
	11,000 ft./lb. 1-1/2" Drive	1,167	3,183

Rad Guns			
-----------------	--	--	--

Air	50-350 ft/lbs 3/4" dr. 350SL	350	995
	100-700 ft/lbs 3/4" dr. 7GX	400	1,200
	500-2500 ft/lbs 1" dr. 25GX	1,100	2,200
	1000-3400 ft/lbs 1" dr. 34GX	1,100	2,200
Cordless	125-500 ft/lbs 3/4" dr. BRAD-500	400	1,200
	150-500 ft/lbs 3/4" dr. BRAD 500-2	500	1,300
	200-1000 ft/lbs 3/4" dr. BRAD 1000-2	550	1,400
	600-3000 ft/lbs 1" dr. BRAD 3000-2	1,100	2,200



Burlington
3385 Mainway
905-634-3030

Toronto
151 Cherry St.
416-406-0606

Cambridge
260 Industrial Rd.
519-650-1844

Sudbury
3319 Kingsway Rd.
705-524-5444

Sarnia
824 Confederation St.
519-332-4447

Trenton
1 Coad Rd.
613-921-4040

Niagara Falls
6970 Oakwood Dr.
905-351-2499