



JOBSITE

2019 CANADIAN RENTAL RATES

Effective February 01, 2019

HOISTING & RIGGING		WEEKLY	4 WEEKS
Chainfall (CERTIFIED)		Rates listed are based on 20' lift	
* Lifts available up to 100 ft.			
1/2 ton		37	74
1 Ton		49	89
1-1/2 Ton		52	102
2 Ton		55	136
3 Ton		75	180
5 Ton		102	282
6 Ton		159	406
7-1/2 Ton		181	541
10 Ton		265	643
15 Ton		541	1,611
Puller (CERTIFIED)		Rates listed are based on 5' chain	
* Length available up to 20 ft.			
3/4 Ton		42	96
1-1/2 Ton		50	102
3 Ton		52	129
6 Ton		83	223
Air Hoist (CERTIFIED)		Lifts available up to 150 ft.	
1/2 Ton	50 ft.	249	690
1 Ton	40 ft.	262	725
1 Ton	60 ft.	320	870
2 Ton	40 ft.	317	831
2 Ton	60 ft.	441	1,214
3 Ton	20 ft. Intrinsically Safe	1,500	3,500
3 Ton	40 ft.	470	1,324
3 Ton	100 ft.	525	1,573
6 Ton	40 ft.	663	1,987
6 Ton	80 ft.	1,500	3,750
Electric Hoist (CERTIFIED)		Lifts available up to 150 ft.	
1/2 Ton, 110 V	50 ft.	210	547
1 Ton, 110 V	40 ft.	211	558
2 Ton, 110V	40 ft.	254	657
2 Ton, 110/220 V	60 ft.	261	767
3 Ton, 575 V 3PH	60 ft.	424	1,098
5 Ton, 575 V 3PH	50 ft.	483	1,447
Trolley & Beam Clamp (CERTIFIED)			
1/2 Ton		32	69
1 Ton		31	69
2 Ton		32	77
3 Ton		45	115
5 Ton		68	172
10 Ton		92	230
Tugger / Winch (CERTIFIED)		Cable sold separately	
Tugger, Air	1,100 lb.	221	657

	4,000 lb.		468	1,326
Winch, Electric 110 V	3,000 lb.	**Cable Extra	361	753
Winch, Electric 110V	4,000 lb.	** Cable Extra	495	850
Winch, Electric 220 V	6,000 lb.	** Cable Extra	475	989
Snatch Block	Up to 15 Ton		VARIES TO SIZE	
Yarding Block	Up to 4 Ton		VARIES TO SIZE	
Lifting Magnet	4400 lb.		312	936
Plate Clamp	Up to 3 Ton		VARIES TO SIZE	
Tirfor (CERTIFIED)			Cable sold seperately	
1650 lb. Capacity	Cable Extra		82	208
3300 lb. Capacity	Cable Extra		82	208
6600 lb. Capacity	Cable Extra		121	317
Spreader Beam				
1 Ton	3 ft. - 6 ft.		203	442
2 Ton	4 ft. - 8 ft.		203	442
5,000 lb.	3 ft. - 5 ft.		234	494

MATERIAL HANDLING / MACHINERY MOVING			WEEKLY	4 WEEKS
EME Aluminum Gantry Cranes (CERTIFIED)			Beam Lengths available up to 30 ft.	
* All cranes c/w trolley & beam up to 15 ft.				
2200LW	2,200 lb cap, 90-122" lift range		486	1,299
4400M	4,400 lb cap, 66-90" lift range		486	1,299
4400R/T	4,400 lb cap, 90-138" lift range		486	1,299
6600R	6,600 lb cap, 106-154" lift range		608	1,628
11000R	11,000 lb cap, 106-154" lift range		883	2,428
16500R	16,500 lb cap, 106-154" lift range		2,036	5,351
20000R	20,000 lb cap, 97-139" lift range		2,200	5,900
Cantiliever	Weights and Beam (600lb. @ 5 ft.)		215	429
Extra Beam Trolley			83	167
Material Lifts (CERTIFIED)				
	4.5 ft. 400 lb.with tray		144	349
	7.5 ft. 1,000 lb with tray		193	515
	10 ft. 1,000 lb.		195	513
	12 ft. 400 lb.		151	367
	12 ft. 350 lb. Counterweight		151	367
	15 ft. 800 lb.		195	513
	15 ft. 1,100 lb.		208	531
	18 ft. 650 lb.		178	464
	20 ft. 800 lb.		208	531
	20 ft. 800 lb. Counterweight		416	754
	24 ft. 650 lb.		178	464
Fork Extensions			33	97
Pipe Cradle			24	47
Boom Attachment			86	143
Tray Attachment			47	92
Roust-A-Bouts (CERTIFIED)				
	15 ft. 1,500 lbs.		302	740
	25 ft. 1,500 lbs.		316	790
Extension Tee			38	81
Pallet Trucks				
	5,500 lb. Standard		64	192
	8,000 lb. Standard		82	246
	5,500 lb. Narrow Aisle (21")		90	225
	5,500 lb. 5 ft / 6 ft Forks		82	246
	4,000 lb. 8 ft Forks		198	541

	2,200 lb. Scissor Type	150	295
Machinery Moving			
Stair Climber	1,500 lb.	590	1,286
Push Cart	2 Wheel, Pneumatic Tire	30	46
	4 Wheel, 30" x 60", 2,000 lb. cap, (Flat Free)	51	138
Scissor Lifting Table	1,100 lb. 33-1/2" x 19-3/4", Max height 35-3/4"	129	386
Engine Hoist	2 Ton	134	364
Appliance Cart	1,200 lb.	83	217
Wagon Yard Cart	24" x 48" 800 lb.	51	138
Drum Cart	1,000 lb.	102	162
Forklift Boom Extension	5 Ton	221	517
Forklift Dumper Box	1 Cu.Yd	140	291
	2 Cu. Yd	260	468
Lifting Cage (Engineered)	3,000 lb. cap. 35x40x24"	146	436
Davit Crane Portable	2,000 lb. cap.	468	936
3 Wheel Dolly	1,800 lb.	30	75
Corner Dolly	2,400 lb.	52	111
Furniture Dolly	800 lb.	30	75
Rol-A-Lift Jack	2,000 lb. cap. (pair) c/w Straps	132	219
	6,000 lb. cap. (pair) c/w Straps	197	263
	10,000 lb. cap. (pair) c/w Straps	263	415
Roller Conveyor	10 ft. section c/w Legs	36	100
Swivel / Straight Skate	3.75 Ton cap.	52	136
	10/15 Ton cap.	60	146
	10 Ton SLP Nylon Rollers	88	262
Steerable Poly Skates	48 Ton cap. (Set)	175	523
Swivel / Straight Skate	30 Ton	75	226
Straight Skate	40 Ton	100	279
Straight Skate	100 Ton	163	407
Pry Dolly	4,200 lb. cap.	52	88
Micrometer	Outside 0" - 6"	30	88
	Outside 6" - 18"	60	175
	Outside 18" - 30"	83	232
	Inside 2" - 32"	36	106
Dial Indicator		18	52
Magnetic Base for Dial Indicator		18	52
Dynamometer (calibrated)	Digital, 25,000lb w/Shackle	260	520
	Digital, 50,000lb w/Shackle	364	884
	Digital, 100,000lb w/Shackle	415	1,242

JACKS		WEEKLY	4 WEEKS
Mechanical			
Ratchet Toe	5 Ton	52	156
	10 Ton	69	207
	15 Ton	82	242
Reel, Screw	2500 Lb. 46" - 96" Reel Dia.	44	77
Reel, Ratchet	3750 Lb. 56" - 90" Reel Dia.	61	131
	5 Ton, 20" - 60" Reel Dia.	52	131
	10 Ton, 20" - 96" Reel Dia.	60	161
	10 Ton T Base, 36" - 84" Reel Dia.	60	161
Hydraulic			
Toe	5 Ton 1" min / 8" stroke	49	146
	10 Ton 1-1/8" min / 9" stroke	65	194
	20 Ton 1" min / 6-5/16" stroke	364	912
* Single Acting	Closed Height / Stroke	0	0

5 Ton	1-5/16" / 1/4" (pancake)	50	150
10 Ton	1-5/8" / 7/16" (pancake)	50	150
	3-1/2" / 1"	50	150
	3-1/2" / 1-1/2"	50	150
	4-3/4" / 2-1/8"	50	150
	6-3/4" / 4-1/8"	50	150
	9-3/4" / 6-1/8"	50	150
	13-3/4" / 10-1/8"	50	150
20 Ton	2" / 7/16" (pancake)	69	200
	3-7/8" / 1-3/4"	69	200
25 Ton	6-1/2" / 2"	69	206
	7-7/8" / 4"	69	206
	10-3/4" / 6-1/4"	69	200
	18-5/8" / 14"	98	291
30 Ton	2-5/16" / 1/2" (pancake)	69	200
	4-5/8" / 2-7/16"	69	200
	7" / 2-1/2" (hollow)	98	291
	15-1/4" / 8-1/4"	98	291
35 Ton (bottle)	11" / 6-1/4"	135	210
50 Ton	2-5/8" / 5/8" (pancake)	98	222
	4-13/16" / 2-3/8"	98	222
	11-1/8" / 6-1/4"	109	274
60 Ton	9-11/16" / 3" (hollow)	167	484
	12-3/4" / 6" (hollow)	167	484
75 Ton	3-1/8" / 5/8" (pancake)	114	285
100 Ton	3-3/8" / 5/8" (pancake)	143	310
	5-9/16" / 2-1/4"	143	310
	14-1/16" / 6-5/8"	185	556
150 Ton	8-1/8" / 2" (locknut)	185	556
150 Ton	16-3/8" - 10" (aluminum locknut)	745	2,090
200 Ton	13-1/2" / 5-7/8" (locknut)	520	1,554
300 Ton	15-1/2" / 5-7/8" (locknut)	772	2,314
Pumps c/w 6' Hose			
Hydraulic Hand	45 - 250 cu.in	11	21
	250 - 460 cu.in	16	32
Electric Hydraulic	110V 1/2 hp 1.3 - 2 Gal.	114	335
	110V 1-1/2 HP 1.5 Gal. High Speed	172	359
	110V 1-1/2 HP 5 Gal.	227	637
	110V 1-1/2 HP 10 Gal.	342	852
Manifold System		ASSEMBLED TO SUIT	
Hydraulic Hose	20 Ft. 10,000 PSI	24	51
	50 Ft. 10,000 PSI	43	92

WELDING / POWER DISTRIBUTION

WEEKLY

4 WEEKS

Fume Extraction

* All Smoke/Fume Extractors c/w Washable Filters (Hepa Filters Available)

Smoke Eater	Suitcase, 160 CFM	128	316
Precipitator	Swing Arm, 1,400 CFM	247	574
Engine Driven			
Gasoline	185-200 Amp Portable	234	592
Propane	305 Amp w/ Cart	234	592
Diesel	300 Amp w/ towable trailer	271	796
	400 Amp Dual Operator w/ towable trailer	350	975
	500 Amp w/ towable trailer	388	1,139
Exhaust Scrubber	Diesel / LPG	172	342

Electric			
MIG Welding	LN25 Wire Feeder c/w Flowmeter, Hose	114	335
	Power Mig 210MP 110-220 / 1	129	349
	Power Mig 250 amp 230-575 / 1	162	419
	Powerwave S350 208-575 / 1-3	442	931
	Powerwave STT Module 40V DC	203	619
	84 Dual Wire Feed	546	1,300
Stick Welding	Amp / Voltage / Phase		
	150 amp, 110-220 / 1, Maxstar	64	154
	275 amp, 208-575 / 1-3, Inverter	106	285
	350 amp, Multi-Weld	148	335
	Distribution Box, Multi-Weld	28	55
	350 amp, 460/575 / 3 ph Flextec	137	373
	350 amp, 208-575 / 1-3 ph Invertec	137	373
	450 amp, 380-575 / 3 ph	145	395
	500 amp, 230-575 / 3 ph	145	395
	650 amp, 380-575 / 3 ph	153	443
	1000 amp, 575 / 3 ph	515	1,035
4-6 Pack Frame w/ distribution panel	126	126	
Tig Welding	150 amp, 110-220 / 1, Maxstar STL/STH	159	345
Tig Torch	150 amp c/w Flowmeter, Hose, Thumbtrol	43	80
	200 amp c/w Flowmeter, Hose, Gas Valve	82	175
Cordless			
Stick Welding	140 amp, 52V Fronius	234	494
Accessories			
Welding Cable 1/O	50 ft.	31	54
	100 ft.	51	97
	Ground Clamp w/ Whip	11	22
	Stinger w/ Whip	11	22
Remote Control	100 ft.	48	97
	100 ft. extension cable	48	97
30/60 Amp Plug		35	64
60 amp extension cable	6/4, 50 ft c/w welding plugs	142	174
Rod Oven	10 lb.	35	69
	125 lb.	51	143
	350 lb.	69	172
Pipe Positioner	110V, 150lb Vertical / 300lb Horizontal	221	498
	110V, 3000 lb.	2,600	5,096
	600V, 6000 lb.	4,160	7,800
Power Distribution			
Splitter Panel 600V	60 amp	247	618
Distribution Panel	15 kva, 600V 3 PH - 120/240 1 PH	285	853
	45 kva, 600V 3 PH - 120/240 1 PH w/ Oscar	616	1,447
Power Box (Oscar)	50 amp, 120/240 1 PH w/ GFCI	108	215
50 amp extension cable	8/4, 50 ft. 120/240 1 PH w/ 50 amp twist lock	81	135
Cable Mat	5 Channel 30T Cap. 3ft	22	43
Cutting			
Plasma Cutter	110 - 220 / 1 3/8" Cap.	162	349
Plasma Cutter	208 - 575 / 1-3 1" Cap.	251	750
Arc Air Gouger	c/w Welding Whip, Air Whip	46	103
Oxy/Acet. Cutting Outfit	c/w torch, 50' hose, regulators	109	194
Bottle Cart	Single / Double	24	41
	2 Bottle Lift/Fire Rated	89	255
LPG Tiger Torch	c/w Regulator, 25 ft. hose, 250 KBTU	30	69
Radiograph Cutter	c/w Torch, 6 ft. Track	114	315

Track for Radiograph	6 ft.	28	55
PIPE BENDING		WEEKLY	4 WEEKS
Mechanical			
Hand Bender	1/2" - 1" Rigid / 1/2" - 1-1/4" EMT	VARIES TO SIZE	
Hand Tube Bender	3/8" - 3/4" O.D. Tubing	VARIES TO SIZE	
1800	1/2" - 1" Rigid	51	154
1801	1-1/4" - 1-1/2" Rigid	64	160
1818	1/2" - 1-1/2" Rigid / 3/4" - 2" EMT	182	546
Electric			
Tubing Bender	1/2" - 1-1/8" O.D. Tubing	160	475
555	1/2" - 2" Machine only, 110V	148	438
	1/2" - 2" Rigid Shoe Group	59	177
	1/2" - 2" EMT Shoe Group	109	227
	1/2" - 2" PVC / Rob Roy Shoe Group	109	227
PVC Heater / Bender	1/2" - 2", 110V	46	126
	1/2" - 4", 110V	86	212
	1/2" - 6", 230V	104	312
Hydraulic			
Bus Bar 4" Bender	3/4" x 4"	114	335
880	1/2" - 2" Rigid	114	335
882	1-1/4" - 2" EMT	143	335
881	2-1/2" - 4" Rigid / EMT One Shot	348	1,038
1813 / MBT	Bending Table for 881 - Pipe not included	170	343
Electric Hydraulic Pump	110V 1-1/2HP 1.5 Gal. High Speed	172	359
PIPE FABRICATION		WEEKLY	4 WEEKS
Pipe Bevelling			
Bevelling Bands	Up to 42"	VARIES TO SIZE	
Crawler	Manual, 9 ft. - 14' whip w/ Torch	114	342
	Motorized, 110V w/ Torch	269	483
George Fischer Machine	Cut & Bevel up to 4" (blade extra)	376	843
Ridgid B-500	Cold Bevel Pipe 4" and Larger	188	531
Manual Cutting			
2-A	1/2" - 2", 1 Wheel	24	36
42-A	3/4" - 2", 4 Wheel	26	47
4-S	2" - 4", 1 Wheel	31	86
44-S	2-1/2" - 4", 4 Wheel	36	104
6-S	4" - 6", 1 Wheel	42	116
466-S	4" - 6", 4 Wheel	44	126
468-S	6" - 8", 4 Wheel	49	140
472-S	8" - 12", 4 Wheel	83	197
246	Soil Pipe, 1-1/2" - 6"	45	115
RT3422	Hot Tap, 3/4" - 2" NPT	348	696
Hydraulic Cutting			
258	2-1/2" - 8" w/ Foot Pump, 2 Support Rollers	182	415
258XL	8" - 12" w/ Foot Pump, 2 Support Rollers	182	415
700	Power Drive for 258 / 258XL	89	203
3890	Soil Pipe, 2" - 12" w/ Ram, Pump	167	387
Electric Cutting			
HC450	Up to 4-3/4" hole, 1-1/4" - 8" Pipe	167	388
Fein Pipe/Hacksaw	Up to 24" pipe, variable speed c/w Clamp	126	359
Manual Flange Spreading			
ST-302	4"	24	67
ST-303	5"	32	90

ST-304	6-3/8"	41	102
Ratchet "Pop-It"	1/16" - 5-1/4"	129	376
	1/2" - 8-1/2"	376	697
Hydraulic Flange Spreading			
1/2 Ton Wedge	3/8" / 3-1/4"	58	141
1 Ton Wedge	3/8" / 3-11/16"	58	141
10 Ton Flange	2-3/4" - 8-1/2" Opening	249	441
Aligning			
461	Straight 1-1/2" - 8"	20	58
Ultra Clamp	2" - 6"	29	83
	5" - 12"	36	111
Tipton Line Up Clamp	Up to 36"	VARIES TO SIZE	
K.C. Ratchet Line Up Clamp	Up to 42"	VARIES TO SIZE	
"C" Clamp	Up to 12"	VARIES TO SIZE	
"L" Clamp (Bessey)	Up to 24"	VARIES TO SIZE	
Grooving			
915	Manual, 2" - 12" Steel / 2" - 8" Copper	114	315
916	Power, 1-1/4" - 6" Steel	114	315
975	Manual / Power, 1-1/4" - 6" Steel	114	315
918	Power, 2" - 12" Steel	182	512
	2" - 6" Copper Roller Set for 918	108	215
920	2" - 24" Steel	414	1,099
725	Cut Groove Die Head for 1224, 2-1/2" - 4"	51	154
Manual Threading			
2-S	Spiral Reamer, 1/4" - 2"	15	30
12-R	Die Head 1/8" - 2" (each)	13	30
12-R	Ratchet	18	42
12-R	Set 1/2" - 2" c/w Ratchet	90	212
418	Oiler	22	39
Power Threading			
700	Power Drive	89	200
775	Support Arm	28	56
300	Power Drive	106	305
300	Threading Package c/w 1 die head	198	477
311	Carriage Assembly	22	39
811A	Die Head, 1/4" - 2"	24	47
141	Threader 2-1/2" - 4"	86	246
161	Threader 4" - 6"	138	335
840A	Universal Drive Shaft	24	41
460	Tristand, 1/4" - 6"	30	88
535	Threading Machine, 1/4" - 2"	200	498
1224	Threading Machine, 1/4" - 4"	316	923
714	Die head 2-1/2" - 4" for 1224 Machine	32	73
711	Die Head 1/4" - 2" for 1224 Machine	29	58
819	Nipple Chuck 1/2" - 2"	30	65
418	Oiler	22	39
Pipe Stands / Rollers			
V Top	2,000 lb. 1/8" - 24"	23	34
Steel Roller Top	2,000 lb. 1/8" - 24"	23	34
Pro Roll	2,000 lb. 1/2" - 36"	34	100
Big V	2,500 lb. 1/2" - 36"	34	57
Max-Jax	2,500 lb. 4" - 36"	84	167
Max-Jax 2	4,500 lb. 4" - 36"	84	167
Pipe Roller	Clamp on 4" - 20"	75	195
Roller Top HD	4,000 lb., 4" - 30"	52	125

Power Pipe Roller	1,500 lb. 2" - 16", 110V	111	331
Pipe / Conduit Carts			
Cricket	1,000 lb. 12" Cap.	51	154
Grasshopper	2,000 lb. 20" Cap.	74	222
Pipe Mac	2,000 lb. Cap.	51	138
Mac Rack	1,000 lb. Non-Lockable	74	143
Testing			
1450 Manual	725 PSI	59	172
	1,000 PSI, Viton Gasket	59	172
Electric Hydrostatic	1,100 - 1,500 PSI, 110V	114	335
Pneumatic Hydrostatic	300 - 10,000 PSI	225	633
Test Plug		VARIES TO SIZE	
Maintenance			
Pipe Freezing Bladder	CO2, 3/8" - 3" (CO2 not included)	227	512
Pipe Freezing System	110V, 1/2" - 2" Steel / 1/2" - 2-1/2" CU	295	697
Pipe Thawer	110V, 1/2" - 1-1/2"	135	269
Water Jetter	110V, 1-1/4" - 4"	590	1,768
Press Fit Tool	1/2" - 2" Copper & Stainless Steel	222	563
Press Ring Set	2-1/2" - 4"	260	520
Hot Tap	3/4" - 2" NPT	368	736
Drain Snake	Manual, 3/4" - 1-1/2", 25 ft.	46	91
Drain Snake	110V, 3/4" - 2-1/2", 25 ft.	111	277
Sewer Snake	5/8" x 100 ft. 110V, 3" - 6",	342	796
Pipe Inspection Camera	200' - 3" - 10" w/ LCD screen & USB 512HZ	643	1,929
Pipe Locator	Sonde, 512HZ	167	498
Thermal Imaging Camera	160x120 IR image, 320x240 Super Resolution	150	450

GENERATORS & PUMPS		WEEKLY	4 WEEKS
Generators			
Gas	2,500 Watt	218	551
	5,500 Watt	352	806
Propane	9,000 Watt, Ranger 305	234	592
Pumps			
Transfer	3/4", 110V, Viton	114	342
	3/4", 110V, Viton, Explosion Proof	269	483
Submersible	2", 110V, 65 GPM, Max 40' Head	134	357
Diaphragm	2" Pneumatic, 140 GPM, Nitrile	269	558
	2" x 50' Discharge Hose w/ Camlock	24	69
Pressure Washer	110V, 1,100 PSI	114	335
	Gas, 4,000 PSI	390	867

WIRE & CABLE HANDLING		WEEKLY	4 WEEKS
Bending			
Hydraulic	300 - 1,000 MCM	98	256
Cutting			
Manual	750 MCM CU / 1,000 MCM AL	22	66
Ratchet	750 MCM CU / 795 MCM AL	28	83
Hydraulic	1,000 MCM CU / AL	92	256
Cordless	1,590 MCM CU / AL	266	685
Cable Stripper	Use w/ 300 Power Drive	182	546
	110 v - 14 awg - 3"	182	546
Compression Tools			
Mechanical	MY29 #8AWG - 250 MCM CU	37	80
Hydraulic	Y39 750 MCM, 12 Ton	116	291
	Y46 1,000 MCM, 15 Ton	138	226

	Die Adapter Y46	24	69
Hydraulic / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	162	413
Cordless	#8AWG - 750 MCM CU/AL	222	563
Cordless / Dieless	#4AWG - 1,000 MCM CU/AL, 12 Ton	222	563
Dies	#8AWG - 750 MCM CU/AL	19	37
	1,000 MCM CU/AL	46	92
Knockout Sets			
Mechanical	7238 1/2" - 2" Ratchet	31	90
Hydraulic	7806 1/2" - 2" Straight	86	215
	7906 1/2" - 2" 90 Deg.	86	215
	7306 1/2" - 2" w/ Pump, Ram	86	215
	7310 1/2" - 4" w/ Pump, Ram	125	327
	7506 1/2" - 2" Stainless w/ Pump, Ram	125	327
	7308 2-1/2" - 4" Stainless	86	215
Cable Pulling			
Two Way Radio		45	80
Hand Held Speaker Mic		5	15
Ultra Cable Feeder	6810 5 x 750 MCM cap.	498	1,022
Cable Puller	G3 2,000lb	162	376
	G6 6,000 lb.	325	695
	6001 Super Tugger 6,500 lb.	186	525
	6801 Super Tugger 8,000 lb.	236	630
	6901 Super Tugger 10,000 lb.	298	834
	Floor Mount Bracket	26	69
	Pipe Mount Bracket	80	144
	UT8 / 6805 Pulling Pkg. 8,000 lb.	545	1,121
	UT10 Pulling Pkg. 10,000 lb.	607	1,325
Reel Jack	2,500 lb. #683 22 - 54"	44	77
	10,000 lb. Ratchet 20.75 - 30.75"	52	131
	20,000 lb. Ratchet 34.5 - 48.5"	60	161
	20,000 lb. Ratchet T Base 31 - 42.75"	60	161
Reel Bar	2" solid steel x 7' long	25	56
Wire Rack	24 spools #12AWG	46	92
Fish / Vac System	690 w/ accessories	116	291
Duct Rodder	1/4" x 600 ft., 1" - 2-1/4" conduit	165	328
	7/16" x 1200., 1" - 8" conduit	328	656
Force Gauge	Deluxe / Bluetooth	563	1,687
Pulling Rope			
Break Strength - 9,000 lb.	1/2" x 300 ft. DB Polyester / w/ Kevlar Eye	72	137
	1/2" x 600 ft. DB Polyester / w/ Kevlar Eye	105	232
	1/2" x 1200 ft. DB Polyester / w/ Kevlar Eye	158	432
Break Strength - 19,000 lb.	3/4" x 300 ft. DB Polyester / w/ Kevlar Eye	99	203
	3/4" x 600 ft. DB Polyester / w/ Kevlar Eye	146	377
	3/4" x 1200 ft. DB Polyester / w/ Kevlar Eye	232	696
Break Strength - 34,000 lb.	1" x 300 ft. DB Polyester / w/ Kevlar Eye	146	377
	1" x 600 ft. DB Polyester / w/ Kevlar Eye	232	696
	1" x 1200 ft. DB Polyester / w/ Kevlar Eye	498	1,087
Wire Grip Kit	629 4 Clamp w/ Brass clevis, 6,500 lb. cap	33	87
Rope Swivel c/w connector	7,000 lb.	83	137
	10,000 lb.	104	159
Kellems Grip	1/2" - 4"	VARIES TO SIZE	
Sheaves			
Feeding	2" - 5"	23	63
Hook	650 - 6", 4,000 lb Cap.	24	58
	651 - 12", 4,000 lb Cap.	31	68

	652 - 18", 4,000 lb Cap.	38	83
	653 - 24", 4,000 lb Cap.	44	106
	639 - 24", Twin Yoke, 4,000 lb Cap.	52	132
	8012 - 12", 8,000 lb Cap.	47	106
	8018 - 18", 8,000 lb Cap.	52	123
	8024 - 24", 8,000 lb Cap.	60	146
	836 - 36", 8,000 Lb Cap.	260	515
	4036 - 36", 4,000 lb. Cap.	88	211
	4048 - 48" Radius, 4,000 lb Cap.	175	325
	6036 - Triple 6,500 lb Cap.	70	140
	637 - 24" Radius, 4,000 lb Cap.	83	203
	638 - 36" Radius, 4,000 lb Cap.	88	211

Tray Rollers			
Sheave	658 12" Long	24	47
	658/659 Adjustable	24	47
Straight	12" - 24" Pilgrim	24	47
	18" - 36" Pilgrim	24	47
Right Angle	90 Deg. Pilgrim	24	47
	20369R 36" Radius	60	175

Testing			
Megohmmeter	500 / 1000 / 2500 / 1000V	307	619

ELECTRIC TOOLS		WEEKLY	4 WEEKS
-----------------------	--	---------------	----------------

Drills			
	1/2" Hammer	41	109
	1/2" Right Angle	46	133
	3/4" HD "T" Handle	92	227
	1" SDS Plus Rotary Hammer	48	133
	1-5/8" SDS Max Rotary Hammer	102	222
Diamond	Handheld, 1/2" - 4" Cap.	221	442
	Core Rig, 1/2" - 10" Cap	255	515
	Core Rig, 1/2" - 14" Cap.	305	608
	Sub Scanner Detection Tool, 12 Volt	52	130
	Core Bit, Up to 14"	VARIES TO SIZE	
Magnetic	Up to 1-1/8" Broach / Up to 1/2" Chuck	150	387
	Up to 1-3/8" Broach, Low Profile 6-11/16"	150	387
	Up to 2" Broach / 1/2" Chuck	189	421
	Up to 1-1/4" #3 Morse Taper / 3/4" Chuck	249	636
Drill Press	5/8" Chuck	81	225
	3/4" Chuck	109	323
Breaker	60 lb, 110 V	200	512
Ground Rod Driver	Hilti 1000 AVR 120v	375	900
Extension Cord	12/3, 50 ft.	17	35
	12/3, 100 ft.	24	51

Fans			
	8" Ventilator, 800 CFM 110V w/ 25' Duct	69	143
	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	370	852
	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	210	424
	18" Box, 5,000 CFM, 110V	167	337
	20" Barrel, 5,000 CFM, 110 V	72	182
	24" Pedestal, 5,000 CFM 110 V	46	126
	42", 14,000 CFM, 110 V	155	342
Duct	8" x 25 ft.	33	65
	16" x 25 ft.	43	86
	18" x 20 ft.	55	108

Lights			
Wobblelight	85 Watt Flourescent	46	109
	175 Watt Metal Halide	69	143
High-Bay	120 Watt LED	78	203
	100 Watt LED	193	498
Cart	1,000 Watt Metal Halide	193	498
	200 Watt Single Explosion Proof	325	750
Trouble	100 Watt Dual Explosion Proof	475	995
	50' Explosion Proof, 75 Watt	138	274
Work	3'3" LED Work Light	150	300
String	50' LED, 4000 Lumens	20	40
Grinders			
	5"	35	86
	5" with vac attach.	55	108
	7"	41	92
	Die 1/4" Collet	35	86
Saws			
	Jig	35	92
	14" Chop	46	109
	Portaband	59	162
	Reciprocating	35	103
	Fein Pipe/Hacksaw c/w Clamp	143	428
	7-1/4" Worm Drive Circular	48	126
	12" Electric Quick Cut	107	277
	Tile & Interlock, 3-3/4" x 24"	348	694
	Bandsaw Floor Model, 7" x 12"	116	348
	10" Table	114	342
	10" Mitre	107	277
Impact Wrenches			
	1/2", 265 ft. lbs	47	106
	3/4", 450 ft. lbs	60	140
	1", 740 ft. lbs	116	336
Miscellaneous			
Heat Gun	570 / 1,000 deg. F	26	59
Nibbler	16 GA.	46	138
Shear	18 GA.	59	138
Vacuum	Wet / Dry	81	217
	Hepa (Filters extra)	114	342
Bearing Induction Heater	4-3/8 x 11" OD Max, 110V	133	370
	8" x 22" OD Max, 220V	204	563
Rebar Cutter	5/8" grade 60.	260	676
Iron Worker	50 Ton, 575V	515	1,035
	70 Ton, 575V	723	1,300
Cordless Tools			
12 Volt	Sub Scanner Detection Tool	55	135
18 Volt	1/2" Hammer Drill	59	172
	1/2" Right Angle Drill	51	103
	1/4" Hex Screwgun	41	109
	1/2" Dr. Impact	86	143
	4-1/2" Grinder	81	210
	6-1/2" Circular Saw	65	193
	Floodlight	81	162
28 Volt	Portaband Saw	102	257
36 Volt	1" SDS Plus Rotary Hammer	111	305
	Reciprocating Saw	111	305

AIR TOOLS		WEEKLY	4 WEEKS
Compressor	Portable, 7.3 CFM, 110V, 20 Gal.	138	376
	Diesel, 185 CFM	444	1,046
Hose	3/8" x 50 ft.	29	62
	3/4" x 50 ft.	29	62
	2" x 50 ft.	57	162
* Chicago, QC, Thor, Dixon, Boss air fittings all available			
Chipper	Pistol Grip .401 Shank	28	81
	15 lb.	46	138
	30 lb. Rivet Buster	97	275
Drill	Right Angle, 3/8" Chuck	28	81
	Pistol Grip, 1/2" Chuck	28	81
Die Grinder	Right Angle, 1/4" Collet	41	109
	Straight, 1/4" Collet	41	109
Grinder	7"	59	138
Impact Wrench,	1/2"	46	108
	3/4"	64	150
	1"	102	311
	1-1/2"	227	671
Ratchet	3/8"	17	35
	1/2"	17	35
Nibbler	14 GA.	28	81
Needle Scaler		46	138
Reciprocating Saw		108	215
Fein Pipe/Hacksaw		146	436
Manifold (certified)	15 Gal. 8 port	113	325
Venturi Air Horn	6" - 8"	46	103
Water Separator (In-Line)		172	285
Dryer w/ Precooler	250 CFM	455	909
Vacuum	55 Gal, 2" Hose, 68 CFM	199	498

CONFINED SPACE		WEEKLY	4 WEEKS
Tripod Retrieval System	50 ft.	296	884
	100 ft.	376	1,019
	Man Winch 65'	78	130
Retrieval System	50 ft. Davit Arm, Bolt Down Base w/ Winch	643	1,876
	50 ft. Davit Arm, Portable Base w/ Winch	804	2,186
	Barrel Mount Sleeve	269	579
	Vehicle Mount	156	411
Man Handler Winch	100 ft. with Davit	155	424
Self Retracting Life Line	8 ft. - 11 ft.	86	172
	20 ft.	103	200
	30 ft. - 40 ft.	114	227
	50 ft. - 60 ft.	138	285
	60 ft. 3 way	227	683
4 Gas Monitor	100 ft. 3 way	259	723
	Single Gas Monitor	182	286
	Altair 4X (monitor only)	146	312
	Altair 4X c/w Bump Test Kit & Calibration Gas	221	498
	Altair 5X	416	832
	Calibration Station (Gasses extra)	277	552
2 Way Mobile Radio		45	80
Hand Held Speaker Mic		5	15
Fan	8" Ventilator, 800 CFM 110V w/ 25' Duct	69	143

	16" Ventilator, 3,200 CFM 110V w/ 25' Duct	210	424
	18" Box, 5,000 CFM, 110V	167	337
	20" Barrel, 5,000 CFM, 110 V	72	182
	24" Pedestal, 5,000 CFM 110 V	46	126
	42", 14,000 CFM, 110 V	155	342
Duct	8" x 25 ft.	33	65
	16" x 25 ft.	43	86
	18" x 20 ft.	55	108
Negative Air Machine	500 CFM, Filters and Ducting Extra	119	296
	1,850 CFM, Filters and Ducting Extra	277	498
Portable HEPA Room	29" x 55", up to 10'6"	536	1,072
	29" X 74", up to 10'6"	643	1,286

EXPLOSION PROOF / INTRINSICALLY SAFE		WEEKLY	4 WEEKS
2 Way Mobile Radio		60	119
Hand Held Speaker Mic		5	15
Fans	12" Ventilator, 1500 CFM, exp-proof w/25' Duct	370	852
Pump	Diaphragm Air 2" w/ Ground	269	558
	Transfer, 110V, 1"	277	498
Fan	16" Ventilator, 2,900 CFM 110V w/ 25' Duct	370	852
Light	Trouble, 110V, 50 ft. cord	138	274
Vacuum	Air, 55 Gal. 2" Hose, 68 CFM	199	498
Distribution Panel		VARIES TO SIZE	

SCAFFOLD & LADDERS		WEEKLY	4 WEEKS
Scaffold Galvanized			
Frame	5 ft. x 5 ft. Full	10	20
	5 ft. x 3 ft. Half High	10	20
	30" x 5 ft. Narrow	10	20
	30" x 3 ft. Half High Narrow	10	20
Brace		5	9
Safety Clip		2	2
Deck, Aluminum	7 ft. x 19"	13	28
Guard Rail		5	9
Guard Rail Post		5	9
Caster	8" Swivel Locking	9	15
Screwjack		9	20
Base Plate		5	9
Outrigger		10	20
Gooser Bar		10	20
Baker Scaffold	Full Section	54	102
Ladders H.D.			
Fibreglass Step	4 ft.	33	63
	6 ft.	33	63
	8 ft.	43	81
	10 ft.	55	97
	12 ft.	60	108
	14 ft.	67	120
Fibreglass Platform	4 ft.	48	86
	6 ft.	48	86
	8 ft.	65	97
	10 ft.	81	118
	12 ft.	97	150

Fibreglass Extension			
	20 ft.	72	163
	24 ft.	72	163
	32 ft.	85	178

STORAGE BOXES, CAGES & RACKS		WEEKLY	4 WEEKS
Job Box w/ Casters	Depth x Height x Length		
	2 ft. x 18" x 3 ft.	30	60
	2 ft. x 2 ft. x 4 ft.	35	76
	2 ft. x 2 ft. x 6 ft.	43	105
	JB150 Rolling Cabinet	58	141
	Upright Cabinet 2 ft. x 5 ft. X 5 ft.	82	132
	Upright Cabinet 2 ft. x 5 ft. X 5 ft. Millwright	82	132
	Portable Field Office	87	261
Cage	Depth x Height x Width		
	6 ft. x 8 ft. x 8 ft. Lock-up w/ Casters	146	321
	38" x 80" x 49" High Pressure Gas	65	129
	Propane 33 lb. 8 Bottle	56	110
	Propane 33 lb. 12 Bottle	65	129
	Lifting (Certified), 35" x 24" x 40"	146	436
Pipe Rack	5 ft. Conduit, Open	76	146
Work Table	4 ft. x 4 ft.	60	94
	4 ft. x 8 ft.	70	116
Saw Horse H.D.		35	59

BOLTING AND FASTENING		WEEKLY	4 WEEKS
Pry Bar	Up To 60"		VARIES TO SIZE
Roof Deck Crimper	16 - 22 Gauge	277	470
Pipe Wrench	Steel / Aluminum Up To 48"		VARIES TO SIZE
Hammer Wrench	Up To 5"		VARIES TO SIZE
Hammer Wrench, Non Strikii	Up to 2-1/2"		VARIES TO SIZE
Nut Splitter Hydraulic	15 Ton, 1/2" - 1-1/2" Hex	129	386
	25 Ton, 1-1/8" - 2-1/4" Hex	162	483
Punch Hydraulic	35 Ton 13/16" Dia. 1/2" Thick	172	512
Sockets			
Impact, 1/2" - 1-1/2" Dr.	Up to 5"		VARIES TO SIZE
Impact Set, 1/2" - 1" Dr.			VARIES TO SIZE
Chrome, 1/4" - 1" Dr.	Up To 3"		VARIES TO SIZE
Chrome Set, 1/4" - 1" Dr.			VARIES TO SIZE
Ratchet, Up to 1" Dr.			VARIES TO SIZE
Sledge Hammer	Up To 16 lb.		VARIES TO SIZE
Torque Wrenches			
Calibration Service Provided In-House			
Manual	200 in./lb. 3/8" Drive	35	103
	100 ft./lb. 3/8" Drive	35	103
	250 ft./lb. 1/2" Drive	35	103
	600 ft./lb. 3/4" Drive	86	206
	700 ft./lb. 1" Drive	114	285
Torque Multiplier 4:1	1/2" In, 3/4" Out	86	222
	3/4" In, 1" Out	85	222
Hydraulic	1400 ft./lb. 3/4" Drive	773	1,987
	3200 ft./lb. 1" Drive	828	2,318
	11,000 ft./lb. 1-1/2" Drive	1,214	3,311
Rad Guns			
Air	50-350 ft/lbs 3/4" dr. 350SL	350	995

	100-700 ft/lbs 3/4" dr. 7GX	400	1,200
	500-2500 ft/lbs 1" dr. 25GX	1,100	2,200
	1000-3400 ft/lbs 1" dr. 34GX	1,100	2,200
Cordless	125-500 ft/lbs 3/4" dr. BRAD-500	400	1,200
	150-500 ft/lbs 3/4" dr. BRAD 500-2	500	1,300
	200-1000 ft/lbs 3/4" dr. BRAD 1000-2	550	1,400
	600-3000 ft/lbs 1" dr. BRAD 3000-2	1,100	2,200



Burlington
3385 Mainway
905-634-3030

Toronto
151 Cherry St.
416-406-0606

Cambridge
260 Industrial Rd.
519-650-1844

Sudbury
3319 Kingsway Rd.
705-524-5444

Sarnia
824 Confederation St.
519-332-4447

Trenton
1 Coad Rd.
613-921-4040

Niagara Falls
6970 Oakwood Dr.
905-351-2499

Saint John, NB
85 Expansion Ave.
506-343-4482